

# CastTec

*Stove Collection*



Wood & Multi-Fuel | EcoDesign 2022 | DEFRA Exempt



# Welcome to the CastTec Stove Collection

CastTec have been supplying quality cast-iron fireplaces and stoves to the UK heating industry for over 25 years. Using our long established foundries, which are renowned for quality castings and steel products, we would like to introduce you to the CastTec Stove Collection, a range of wood burning and multi-fuel stoves and fireplaces.

As well as being aesthetically pleasing, CastTec stoves are highly efficient (up to 80%) with low carbon emissions to comply with EcoDesign 2022 regulations and DEFRA exemptions allowing all of our stoves to be installed in smoke control areas.

CastTec stoves also benefit from Triple Burn Technology, consisting of a Primary Air Control, a Secondary Airwash Lever, and a Tertiary Air System (inlets inside the rear of the stoves which mixes pre-heated air with the exhaust gases causing the exhaust gas to re-ignite producing a cleaner and more efficient stove).

Our stoves are manufactured using only premium grade cast-iron and heavy gauge steel enabling them to be robust enough to last for many years when used with care and attention. For this reason we are confident to offer a conditional 10 year warranty covering your stove body (see conditions page 46).

The CastTec Stove Collection also offers a range of beautiful cast-iron inserts, handcrafted marble, granite and limestone mantelpieces, elegant inglenook interiors, sturdy honed and polished granite hearths along with all the accessories you may need to complete your perfect fireplace. In fact, you can choose any stove, any mantel, any hearth and any interior combination to suit your particular taste and lifestyle.


We hope you enjoy viewing our unique collection and encourage you to call us (details on the back cover) for any advice or technical support.

## TABLE OF CONTENTS

NEVIS 5 .....4  
NEVIS EDGE .....6  
JUNO 5 & VULCAN 8.....8  
COUGAR 5 ..... 10  
COUGAR INSET..... 12  
PUMA 5..... 14  
HORIZON 5 ..... 16  
HORIZON 5W ..... 18  
SIROCCO ..... 20

SOLID FUEL INTEGRA..... 22  
INTEGRA INSERTS..... 23  
ROYAL SFI ..... 24  
MAJESTIC SFI..... 26  
ASHBOURNE SFI ..... 28  
OXFORD SFI ..... 30  
ASTON SFI ANTIQUE ..... 32  
ASTON SFI POLISHED..... 34  
SFI INSET..... 36

MARBLE MANTELS ..... 38  
INGLENOOK CHAMBERS ..... 42  
HEARTHES ..... 43  
STOVE PIPE..... 44  
FLUE LINERS & TERMINALS... 45  
STOVE ACCESSORIES..... 46  
STOVE GALLERY ..... 47



....renewable energy is the future!

In a world of dwindling resources, we have some rare good news about our beautiful planet. Wood logs are considered to be carbon neutral! If you burn seasoned wood, the carbon dioxide emitted equals the carbon monoxide absorbed by the tree whilst growing. This means that wood is a renewable and sustainable source of fuel when taken from a managed environment.





# NEVIS 5

The Nevis is an attractive cast-iron stove with a modern feel and robust performance. Designed and engineered to be efficient and kind to the environment, this 5kW freestanding stove will grace any room whether in a traditional or contemporary setting.


A multi-fuel grate allows the Nevis to burn seasoned wood or smokeless fuels.

The mantelpiece shown is the William IV in pure Italian Carrara marble with a shelf length of 1500mm (59”).

The fireplace chamber is lined with a slate interior and the hearth below consists of Honed Black Granite in our Munro style (see page 43).

KEY FACTS:

Nominal Heat Output	Up to 5kW
Construction	Cast-iron
Net Weight	75Kg
Flue Outlet	Top or Rear (125mm) 5”
Efficiency Wood	80.7%
Efficiency Maxibrite	79%
DEFRA Exempt	Yes
EcoDesign 2022	Yes



measurements in millimetres



# NEVIS EDGE


The Nevis Edge is a sister to our popular Nevis 5 cast-iron stove bringing a more minimalistic and contemporary look yet the same specifications and robust performance. Designed and engineered to be efficient and kind to the environment, this 5kW freestanding stove has a multi-fuel grate that allows it to burn seasoned wood or smokeless fuels.

The mantelpiece shown is the Kensington in pure Spanish Crema Marfil with a shelf length of 1350mm (53”).

The fireplace chamber is lined with an oyster marble interior and the hearth below consists of Honed Black Granite in our Munro style (see page 43).

KEY FACTS:

Nominal Heat Output	Up to 5kW
Construction	Cast-iron
Net Weight	75Kg
Flue Outlet	Top or Rear (125mm) 5"
Efficiency Wood	80.7%
Efficiency Maxibrite	79%
DEFRA Exempt	Yes
EcoDesign 2022	Yes



measurements in millimetres





# JUNO 5 & VULCAN 8

The Juno and Vulcan are sister stoves in the same design with the Juno having a 5kW output and the Vulcan an 8kW output. The Vulcan is deeper in size, enabling it to produce the extra heat for those requiring a higher output.

A multi-fuel grate allows the stoves to burn seasoned wood and smokeless fuels and both models benefit from triple burn technology.


The mantelpiece shown is the very eloquent Hexham in pure Turkish limestone. The mantel shown has a shelf length of 1500mm (59”).

The fireplace chamber is lined with a slate interior and the hearth is boxed and lipped in honed black granite (see page 43).


Key Facts:

Stove	JUNO 5	VULCAN 8
Nominal Heat Output	Up to 5kW	Up to 8kW
Construction	Steel & Cast-iron	
Net Weight	71kg	80Kg
Flue Outlet	Top or Rear (125mm) 5”	
Efficiency Wood	80.8%	81.1%
Efficiency Maxibrite	81.6%	82.9%
Air Vent Required	No	Yes
DEFRA Exempt	Yes	
EcoDesign 2022	Yes	

Juno 5



Vulcan 8



measurements in millimetres





# COUGAR 5

The Cougar 5 is an elegant cast-iron stove with a modern feel and robust performance. Designed and engineered to be efficient and kind to the environment, this 5kW freestanding stove is majestically curvy and has an Art Nouveau feel about it.

A multi-fuel grate allows the Cougar to burn seasoned wood or smokeless fuels. The Cougar also benefits from triple burn technology consisting of Primary Air, Secondary Airwash and Tertiary Air.


The mantel shown is the Flat Victorian in pure Turkish Limestone with a shelf length of 1500mm (59”) or 1350mm (53”).

The fireplace chamber is lined with heat resistant vermiculite boards in a natural finish and brick design. The hearth below consists of Honed Black Granite boxed and lipped.

Limestone Mantel Package contents can be viewed on page 40.

### KEY FACTS:

Nominal Heat Output	Up to 5kW
Construction	Cast-iron
Net Weight	90Kg
Flue Outlet	Top or Rear (125mm) 5”
Efficiency	80.9%
DEFRA Exempt	Yes
EcoDesign 2022	Yes



measurements in millimetres





# COUGAR INSET

The Cougar Inset is an efficient and sturdy cast-iron inset stove with a multi-fuel grate and external riddling control which allows the stove to burn seasoned wood or smokeless fuels.


The Cougar Inset benefits from Triple Burn Technology and a steel Convection Chamber allows cold air to enter below the stove, then to pass up through the chamber as it warms before entering your room via air vents above the stove door.

The mantel shown is the stunning Durham in polished Black Granite with a shelf length of 1500mm (59"). The back panel and hearth shown are in the same material but with a honed finish offering a nice contrast with the highly polished mantelpiece.

The hearth is in our Munro style and is sectioned for solid fuel to allow for expansion (see page 43).

Key Facts:

Nominal Heat Output	Up to 5kW
Construction	Cast-iron
Net Weight	75Kg
Flue Outlet	(125mm) 5"
Efficiency Wood	83.3%
Efficiency Anthracite	83.8%
DEFRA Exempt	Yes
EcoDesign 2022	Yes



measurements in millimetres





# PUMA 5

The Puma 5 is part the Cougar family (see pages 10 to 11) using the same interior and therefore providing the same output and efficiency. The external look of the Puma is more of a square design and it sports a robust steel handle.


A multi-fuel grate allows the Puma to burn seasoned wood or smokeless fuels.

The Puma is shown inside the Hexham mantel in pure Turkish Limestone. This mantel is available with a shelf length of 1350mm (53”) or 1500mm (59”).

The inglenook chamber is decorated with an oyster marble interior and is accompanied by a honed black granite hearth.

### KEY FACTS:

Nominal Heat Output	Up to 5kW
Construction	Cast-iron
Net Weight	90Kg
Flue Outlet	Top or Rear (125mm) 5”
Efficiency	80.9%
DEFRA Exempt	Yes
EcoDesign 2022	Yes



measurements in millimetres





# HORIZON 5

The Horizon 5 is part of a family of quality multi-fuel steel stoves suitable for use with seasoned wood or approved smokeless fuels.

The simple design is perfect for the most contemporary or traditional setting. This stove is also available with a Log Store option and pages 18 to 19 show a wider version of the model, also available with a Log Store.


Log Store



Key Facts:	Horizon 5	Horizon 5 Log Store
Fuel Type	Wood & Smokeless Fuel	
Nominal Heat Output	4.9kW	
Construction	Mild Steel	
Net Weight	59 Kgs	68 Kgs
Flue Outlet	Top or Rear (125mm)	
Efficiency	76.1%	
Mean Flue Draught	12pa	
Air Vent Required	No	
DEFRA Exempt	Yes	
EcoDesign 2022	Yes	

Free Standing

Log Store



measurements in millimetres

The Horizon 5 is shown with the Keswick shelf in Solid Pine. This shelf has a light pine stain but can be stained to requirement or supplied without a finish. The Keswick has a shelf length of 1200mm (48”) or 1350mm (53”) and can also be supplied in Solid Oak.

The stove is sitting on a Nevis honed granite hearth (900mm wide x 750mm x 50mm) with an oyster marble inglenook panel to the rear.





# HORIZON 5W

The Horizon 5W (or Wide) is the sister of the smaller Horizon 5 multi-fuel steel stove shown on pages 16 to 17. Whilst both stoves have been tested and approved as 5kW stoves, the 5W model is wider in size allowing for a better view of the combustion chamber.


The Horizon 5W, like it’s sister, is available as a free standing model or is available with a Log Store.

Key Facts:	Horizon 5 Wide	Horizon 5 Wide Log Store
Fuel Type	Wood & Smokeless Fuel	
Nominal Heat Output	4.9kW	
Construction	Mild Steel	
Net Weight	68 Kgs	80 Kgs
Flue Outlet	Top or Rear (125mm)	
Efficiency	75.1%	
Mean Flue Draught	12pa	
Air Vent Required	No	
DEFRA Exempt	Yes	
EcoDesign 2022	Yes	



Free Standing

Log Store



measurements in millimetres

The Horizon 5 Wide is shown inside the majestic looking Corinthian mantelpiece in pure Italian Carrara marble. The shelf length is 1500mm (59”) and the mantel sports a pair of exquisite acanthus leaf carvings.

The interior chamber is decorated with slate inglenook panels and the hearth is honed black granite in our Munro style (see page 43).





# SIROCCO

The Sirocco is a sturdy cast-iron and steel stove with an output up to 5kW and efficiency of around 80%. A multi-fuel grate allows the Sirocco to burn seasoned wood and smokeless fuels.


This particular model has an attractive arched design and an extra wide window allowing for the maximum viewing potential.

The Sirocco looks very contemporary in a setting without the traditional chimney, a dedicated twin walled flue pipe being used to create a bespoke flue system.

The Sirocco stove sits on a Nevis Plinth in honed grey pearl granite (see page 43).

Key Facts:

Nominal Heat Output	5kW
Construction	Steel & Cast-iron
Net Weight	75Kg
Flue Outlet	Top & Rear (125mm) 5"
Efficiency	78.1%
Air Vent Required	No
DEFRA Exempt	Yes
EcoDesign 2022	Yes



measurements in millimetres





# SOLID FUEL INTEGRA


The CastTec Solid Fuel Integra (SFI) is a range of cast-iron inserts that integrate with one of the most efficient 5kW output stoves on the market today.

A multi-fuel grate allows SFI to burn seasoned wood and smokeless fuels. SFI also benefits from Triple Burn Technology, with Primary

Air Burn (lever in ash pan cover), Airwash Secondary Burn (lever top of door) and Tertiary Air (inlets inside the rear of the stove).

SFI can be installed with all mantelpieces in our brochure and it is also available as a stand alone inset with optional trim. (see pages 36 to 37).

Integra Assembly



SFI Inset




Key Facts

FUEL TYPE	WOOD	ANTHRACITE
Heat Output	Nominal 5kW	
Efficiency	76.1%	79.9%
CO Emissions	0.10 vol%	0.04 vol%
Flue Outlet	Top (125mm)	
DEFRA Exempt	Yes	
EcoDesign 2022	Yes	

Cast-iron Insert Dimensions

Solid Fuel Inserts					
	A	B	C	D	E
Ashbourne	938	939	725	855	50
Aston	965	957	885	878	65
Majestic	944	940	725	860	50
Oxford	965	963	885	878	65
Royal	944	940	725	860	50



measurements in millimetres

A: Width. B: Height. C & D: Minimum mantel aperture required, E: Depth

# INTEGRA INSERTS



Royal



Aston Antique



Majestic



Aston Polished



Ashbourne



Oxford

NOTE: All castings are available in Matt Black, Antique and Highlight Polished finishes.



# ROYAL SFI

The Royal SFI is a plain arched cast-iron insert in a matt black finish. The black finish creates a nice contrast to the lighter colour of the Chilton mantelpiece.

The Solid Fuel Integra Inset sits nicely inside the Royal fascia and has a decorative front bar and ash cover to suit this traditional style.

The mantel shown is the Chilton in pure Turkish Limestone. This model is similar in design to our Flat Victorian, however the top shelf and mouldings have a smart bullnose edge giving a more contemporary twist and suits the Munro style of the polished black granite hearth.

Hearths for solid fuel may need to be sectioned to allow for expansion (see page 43).

**Cast**

Finish

Engine

Royal SFI

Matt Black

SFI Inset

**Mantel**

Material

Shelf

Chilton

Turkish Limestone

1350mm (53")

or

1500mm (59")

**Hearth**

Material

Size

Munro Solid Fuel

Polished Black Granite

1350mm x 450mm

or

1500mm x 450mm





# MAJESTIC SFI

The Majestic Solid Fuel Integra is a plain arched cast- iron insert, in a matt black finish, with only the outer band polished.

The Solid Fuel Integra Inset sits nicely inside the Majestic fascia and has a decorative front bar and ash cover to suit this traditional style.

The mantelpiece shown is the Flat Victorian in pure Italian Carrara marble. This traditional mantel is also available in honed or polished black granite or Turkish limestone. The complete range of mantelpieces shown can be viewed on pages 38 to 41.

The hearth is polished black granite in our sturdy Munro style sectioned for solid fuel to allow for expansion.

**Cast**  
Finish  
Engine

Majestic SFI  
Highlight Polished  
SFI Inset

**Mantel**  
Material  
Shelf

Flat Victorian  
Italian Carrara  
1350mm (53")  
or  
1500mm (59")

**Hearth**  
Material  
Size

Munro Solid Fuel  
Polished Black Granite  
1350mm x 450mm  
or  
1500mm x 450mm



# ASHBOURNE SFI

The Ashbourne Solid Fuel Integra is a decorative arched insert with the inner and outer bands polished along with the canopy. The polished area highlights the intricate detail to the casting. The Ashbourne is also available in a matt black finish.

The Solid Fuel Integra Inset sits inside the Ashbourne fascia and has a front bar and ash cover to suit this traditional style.

The mantelpiece shown is the Cotswold in pure Turkish limestone. This mantel has impressive corbels and bullnose edge features to the top shelf and mouldings complimenting the polished black granite Munro style hearth below.

Hearths for solid fuel may need to be sectioned to allow for expansion (see hearth options on page 43).

**Cast**  
Finish  
Engine

Ashbourne SFI  
Highlight Polished  
SFI Inset

**Mantel**  
Material  
Shelf

Cotswold  
Limestone  
1350mm (53")  
or  
1500mm (59")

**Hearth**  
Material  
Size

Munro Solid Fuel  
Polished Black Granite  
1350mm x 450mm  
or  
1500mm x 450mm





# OXFORD SFI

The Oxford Solid Fuel Integra is a decorative tiled insert shown here in a highlight polished finish. A beautiful Art Nouveau floral design on the canopy compliments the Mediterranean Poppy hand painted tile set.

The Solid Fuel Integra Inset sits nicely inside the Oxford fascia, which is also available in a matt black or antique finish.

The mantelpiece shown is the Hexham in natural Slate Stone (this larger size includes slips attached internally). Our complete range of available mantelpieces can be viewed on pages 38 to 41.

The hearth shown is boxed and lipped in polished black granite. Hearths for solid fuel may need to be sectioned to allow for expansion (see hearth options on page 43).

<b>Cast</b>	Oxford SFI	<b>Mantel</b>	Hexham
	Finish		Slate Stone
	Engine		Shelf 1500mm (59")
<b>Hearth</b>	Boxed & Lipped	<b>Tiles</b>	Mediterranean Poppy
	Material		Ivory Burgundy
	Size		

Honed Black Granite  
1500mm x 450mm

Field Poppy



Ivory Yellow  
Ivory Blue  
Ivory Burgundy  
Ivory Lilac

Mediterranean Poppy



Honey Yellow  
Ivory Blue  
Ivory Burgundy  
Green Burgundy



**NOTE:** All tile sets are interchangeable

# ASTON SFI ANTIQUE

The Aston Solid Fuel Integra is a decorative tiled insert shown here in an antiqued graphite finish. This model is also available in a matt black or highlight polished finish.

The Solid Fuel Integra Inset sits nicely inside the Aston fascia and has a front bar and ash cover to suit this traditional style.

The mantelpiece shown is the popular Victorian Corbel design in pure Turkish limestone. The complete range of available mantelpieces can be viewed on pages 38 to 41.

The tile set shown is the Tulip design in Ivory & Blue. The hearth is polished black granite in our sturdy Munro style.

<b>Cast</b>	Aston SFI	<b>Hearth</b>	Munro Solid Fuel
Finish	Antique	Material	Polished Black Granite
Engine	SFI Inset	Size	1350mm x 450mm or 1500mm x 450mm
<b>Mantel</b>	Victorian Corbel	<b>Tiles</b>	Tulip
Material	Limestone	Colour	Ivory Blue
Shelf	1350mm (53") or 1500mm (59")		

Foxglove				Tulip			
							
Honey Yellow	Ivory Blue	Ivory Burgundy	Ivory Lilac	Honey Yellow	Ivory Blue	Ivory Burgundy	Ivory Lilac



**NOTE:** All tile sets are interchangeable



# ASTON SFI POLISHED

The Aston Solid Fuel Integra is a decorative tiled insert shown here in a highlight polished finish. This model is also available in a matt black or antique finish.

The Solid Fuel Integra Inset sits nicely inside the Aston fascia and has a front bar and ash cover to suit this traditional style.

The mantelpiece shown is the elegant Kensington in natural Slate Stone. This mantel is also available in Turkish Limestone and pure Spanish Crema Marfil marble as shown on page 7.

The tile set shown is the Flag Iris design in Ivory & Blue. The hearth is Honed Black Granite in our sturdy Munro style.

<b>Cast</b>	Aston SFI	<b>Mantel</b>	Kensington
	Highlight Polished		Slate Stone
	SFI Inset		Shelf 1350mm (53")
<b>Hearth</b>	Munro Solid Fuel	<b>Tiles</b>	Flag Iris
	Honed Black Granite		Ivory Blue
	Size 1350mm x 450mm		

Flag Iris



Honey Yellow



Ivory Blue



Ivory Burgundy

Thistle of Tay



Ivory Blue



Ivory Burgundy



Ivory Lilac



**NOTE:** All tile sets are interchangeable



# SFI INSET

The Solid Fuel Integra Inset is shown here with a matt black outer trim attached and sits inside a Mosaic ceramic tiled back panel instead of the usual cast-iron insert.

The SFI inset stove can be used for wood burning and solid fuel and still sports the decorative front bar and ash cover to suit this period style.

The mantelpiece shown is the Flat Victorian in Honed Black Granite. This mantel is also available in a polished granite finish or in Turkish Limestone (see page 11) or Italian Carrara marble (see page 27).


The hearth shown is boxed and lipped in honed black granite to compliment the design of the mantelpiece top shelf.

**Stove**  
Finish Solid Fuel Integra Inset (Optional Trim)  
Matt Black or Antique

**Mantel**  
Material Flat Victorian  
Shelf Honed Black Granite  
1350mm (53")  
or  
1500mm (59")

**Fascia**  
Mosaic Tiled Panel

**Hearth**  
Material Boxed & Lipped  
Size Honed Black Granite  
1350mm x 450mm  
or  
1500mm x 450mm



measurements in millimetres






# MARBLE MANTELS

The CastTec Stove Collection offers a range of beautiful pure marble mantelpieces in Spanish Crema Marfil and Italian Carrara. We also offer some Black Granite mantelpieces and a range of grey Slate Stone mantelpieces similar in colour to Welsh slate.

Natural stone mantelpieces are liable to colour variation and veining, which is considered to be part of their beauty. If this is likely to cause any concern, another option maybe to go for Turkish Limestone (see pages 40 to 41) which tends to be more consistent in colouration.

Mantel Dimensions



	A	B	C	D	E
Corinthian	1500	1140	1395	230	75
Durham	1500	1170	1350	300	75
	1350	1165	1270	300	75
Flat Victorian	1500	1145	1355	205	75
	1350	1145	1275	205	75
Hexham	1350	1133	1300	207	75
	1500	1258	1450	207	75
Kensington	1350	1133	1300	207	75
William IV	1500	1170	1375	300	75


measurements in millimetres

## CREMA MARFIL



Kensington

## ITALIAN CARRARA



Flat Victorian

## SLATE STONE



Kensington

## BLACK GRANITE



Flat Victorian

Honed or Polished




Corinthian



Hexham 1350



Durham



William IV



Hexham 1500

TURKISH LIMESTONE

The CastTec Stove Collection offers a stunning range of pure Turkish Limestone Mantelpieces.

For those who want a traditional design, we have the timeless Flat Victorian design and of course the standard Victorian Corbel.

For those wanting a more contemporary feel, the Kensington and Hexham fill that brief with the Cotswold coming somewhere in between.


The Kensington and Hexham are also available in Slate Stone (see page 39).

The Chilton is interesting, as it is basically a Flat Victorian mantel, however, the top shelf and horizontal slips have a nice rounded bullnose edge which matches perfectly with the bullnose edges of our Munro granite hearths.

Limestone Mantelpieces are available in two shelf sizes, 1350mm (53”) and 1500mm (59”).

Limestone Packages

A typical Limestone Package as shown below includes the mantelpiece, an inglenook chamber (oyster marble, slate or vermiculite board) and the granite hearth with matching infill and 3 slips if required (see page 11)



TURKISH LIMESTONE

Flat Victorian

Chilton

Kensington

Cotswold

Hexham 1350

Victorian Corbel

Hexham 1500

Mantel Dimensions

	A	B	C	D	E
Chilton	1350	1145	1275	205	75
	1500	1145	1355	205	75
Cotswold	1350	1145	1275	280	75
	1500	1145	1355	280	75
Flat Victorian	1500	1145	1355	205	75
	1350	1145	1275	205	75
Hexham	1350	1133	1300	207	75
	1500	1258	1450	207	75
Kensington	1350	1133	1300	207	75
Victorian Corbel	1350	1150	1325	280	75
	1500	1195	1347	300	75



# INGLENOOK CHAMBERS




Grey Slate



Oyster Marble


Inglenook Panels are fire resistant boards with natural riven stone pieces attached to the fascia. These panels come in two materials, Grey Slate and Oyster Marble.

Three panels are required to fit into a standard inglenook chamber, one large (for the rear) and two small (for the sides). Alternatively, one large panel could be fitted to the rear of the opening only as shown on page 17.



# KESWICK SHELVES

The Keswick is an attractive shelf with corbels ideally suited to be placed as a feature in any room (i.e. above a fireplace inglenook as shown on page 17). The Keswick is available with a light stain in Solid Oak or Solid Pine but may be available without a finish upon request.




Solid Oak or Pine

## Keswick 1200

A	1200mm (48")
B	380mm
C	895mm
D	200mm
E	100mm
F	150mm
G	280mm

## Keswick 1350

A	1350mm (53")
B	380mm
C	910mm
D	200mm
E	100mm
F	150mm
G	280mm



# HEARTHES

Our Stove Collection boasts a range of beautiful, practical, and robust hearths (and infills) in honed or polished black granite (polished is the most consistent in colouration, honed exposes a little more natural variation).

Hearths come in several styles.

## Boxed & Lipped:

These are standard hearths from the last forty years with 20mm thickness and 30mm risers below.

## Munro:

These are more robust and contemporary having a 30mm thickness and 20mm risers below.

Munro hearths are softer on the eye and to the touch having attractive rounded bullnose edges.

## Munro Solid Fuel:

Hearths used for wood burning and solid fuel appliances are traditionally cut into four sections and fixed back together to allow for expansion.

For use with Solid Fuel Integra and Cougar Inset in particular, CastTec offer a sturdy sectioned Munro hearth in honed and polished black granite.

Munro Bullnose Solid Fuel Hearth



## Nevis Plinth:

The Nevis Plinth is a solid piece of honed or polished Grey Pearl granite (900mm x 750mm x 50mm)

## Boxed & Lipped

Polished Granite



Honed Granite




## Munro Bullnose

Polished Granite




Honed Granite




## Nevis Plinth

Grey Pearl Granite Honed



Grey Pearl Granite Polished





STOVE PIPE

Vitreous Enamelled Flue Pipe

(steel thickness 0.8mm)  
suitable for  
Multifuel & Woodburning Stoves.

Diameters

125mm	150mm	180mm	200mm
-------	-------	-------	-------

Resistance

An inner and outer vitrified matt black finish guarantees colour stability with high temperatures and condensation.

Straight Lengths



Straight length

L = 950mm (37")  
L = 450mm (18")  
L = 285mm (11")



Inspection length

L = 950mm (37")  
L = 450mm (18")



Adjustable length

Up to 450mm (18")  
(fits inside)

Elbows and Tees



90° Tee\*



90° Elbow



90° Inspection Elbow



45° Elbow



45° Inspection Elbow



30° Elbow

Accessories



Light weight support with nut



Soot collect  
\* fits 90° Tee



Finishing collar



Reducer  
(150 to 125mm)

FLUE LINERS & TERMINALS

Flexible Liner Pack

Flexible Liner



Available in bespoke cut-lengths in diameters of 125mm, 150mm, 180mm and 200mm

Combined Terminal



Adaptor



Standard Cowl



Stainless Steel Terracotta

Bird Guard




Stainless Steel Terracotta

Anti Downdraught Cowl



Stainless Steel Terracotta


Register Plate



Galvanised Steel  
1000mm x 400mm x 1.5mm  
(2 inspection holes & 1 adapter plate 5" - 6")

A plain Register Plate is also available 1250mm x 600mm

Jackdaw Guard



Black Wire

CE CERTIFICATE:
0036 CPD 90220 044
DESIGNATION:
EN 1856-2
T600 N1 D Vm L80080
G375 NM



# STOVE ACCESSORIES

### Heat-Resistant Gloves



### Fire Cement

Black (1kg or 10kg) is a non-combustible high temperature (1400C) putty for bonding low porosity surfaces and for general sealing and repairing work.




### Stove Paint

Cast Tec Stove Paint (400ml) is a fast drying high temperature (up to 650C) paint for use on wood, heat resistant boards, stoves, cast-iron fires, cookers & chimineas.



**Stove Fan** is a small environmentally friendly four blade fan which sits on top of your stove. Self powered (using the heat from your stove) the fan needs no batteries or electricity.



The benefit from our stove fan comes when it circulates warm air generated from your stove (which normally rises up therefore potentially using less fuel. The fan operates quietly, has a discreet black satin finish and is suitable for temperatures up to 300 C.



### Moisture Meter

This battery operated moisture meter is simple to use with two hardened steel pins which are pushed into the wood or material to obtain a reading of moisture content on an LCD screen. The pins are protected by a cap cover when not in use and the meter comes with case, battery and instructions.



### Flexseal

Black 300ml is a high temperature (300C) Silicone Sealant for use where good adhesion and a flexible bond required.



### Flueseal

Black 300ml is a high temperature (1000C) Silicone Sealant where extremely high adhesion is required with a rigid bond.

### Important Information

Products shown in this brochure are manufactured for Cast Tec Ltd., who with a professional group of companies, distribute them exclusively in the UK and Ireland.

Decorative goods must be checked prior to installation, as no responsibility will be accepted thereafter for the redecoration, removal or reinstallation of products. Faulted goods must be reported as soon as possible and within 48 hours.

Installation should be carried out by a qualified fireplace installer (i.e. HETAS heating engineer). No responsibility will be accepted for damage or problems arising from an incorrect or unqualified installation.

Stoves purchased from 1st January

2017 onwards will be subject to a 10 year extended warranty which will exclude consumable products such as stove glass, rope seal, firebricks, grates and ash-pans. To qualify you will need to provide proof of purchase from an authorised stockist, proof of installation by a qualified heating engineer (HETAS registered) along with a regular service record and compliance with the product User Instructions (i.e. type of fuels to use, chimney sweep frequency etc.).

Discolouration or paint peeling may occur to the finish of a cast-iron stove if it comes into contact with a naked flame or where the heat is very intense after the burning of certain fuels (i.e. petroleum based coals). If this occurs it can usually be remedied

by applying a heat resistant spray paint to the affected area. The use of damp or unseasoned wood or man-made wood alternatives (chipboard, plywood etc.) may cause the stove interior, glass and flue to develop excessive carbon and tar deposits.

Cast Tec Ltd. reserve the right to delay or withdraw products, change designs, specifications or materials without prior notice due to continuous product development or supply issues.

Photographs and designs shown in this brochure are the copyright and design rights of Cast Tec Ltd. and can only be used or copied with permission.

# STOVE GALLERY



Nevis 5



Nevis Edge



Sirocco



Puma 5



Cougar 5



Juno 5/Vulcan 8



SFI Inset



Horizon 5



Horizon 5 Wide



Cougar Inset



Horizon 5 Log Store



Horizon 5 Wide Log Store





Tel: + 44 (0) 191 497 4280 Web: [www.casttec.co.uk](http://www.casttec.co.uk)

V4 . 2021 - © Copyright CastTec Ltd

